

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Lowell L. Wood, Jr.
Application No. : 10/827,390
Filed : April 19, 2004
TITLE : A TELESCOPING PERFUSION MANAGEMENT SYSTEM
Confirmation No. : 3132

Examiner : Scott J. Medway
Art Unit : 3763
Docket No. : 0803-004-001D-000000
Customer No. : 44,765

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT
SUBMITTED AFTER FIRST OFFICE ACTION WITH 3-MONTH CERTIFICATION
AND WITHOUT FEE

Sir:

Pursuant to 37 C.F.R. §§ 1.56 and 1.97(c), Applicant brings to the attention of the Examiner the documents listed on the attached PTO-1449 (substitute form). Applicant respectfully requests that the Examiner consider the listed documents and evidence that consideration by making appropriate notations on the attached form. Pursuant to 37 C.F.R. §1.98(a)(2), copies of the foreign patent documents and non-patent literature are attached.

This submission does not represent that a search has been made or that no better art exists and does not constitute an admission that each or all of the listed documents are material or constitute “prior art.” Applicant reserves the right to present to the Office the relevant facts and law regarding the appropriate status of such documents.

No document listed in this Supplemental Information Disclosure Statement was cited in a communication from a foreign Patent Office in a counterpart foreign application, and based on reasonable inquiry, no document listed in this Information Disclosure Statement was known to any individual designated in 37 C.F.R. § 1.56(c) more than three months prior to the filing date of this Supplemental Information Disclosure Statement.

Applicant further reserves the right to take appropriate action to establish the patentability of the disclosed invention over the listed documents, should one or more of the documents be applied against the claims of the present application.

Respectfully submitted,

/Dale Cook/

Dale Cook

Registration No. 42,434

DC:jmb

Enclosures:

Form PTO-1449 (substitute)

Searete LLC
1756 – 114th Ave. S.E., Suite 110
Bellevue, WA 98004
(425) 467-2300
(425) 467-2351 Facsimile